Laboratory Astrophysics with a High-Resolution XRS X-ray Microcalorimeter

F. S. Porter, K. R. Boyce, G. V. Brown, R. L. Kelley, C. K. Stahle, and W. Tillotson NASA Goddard Space Flight Center, Greenbelt, MD

P. Beiersdorfer, H. Chen, M. May, and D. Thorn Lawrence Livermore National Laboratory, Livermore, CA

S. M. Kahn Columbia Astrophysics Laboratory, New York, NY

We have recently deployed an XRS (the X-ray Spectrometer on the Astro-E mission) engineering model microcalorimeter at the electron beam ion traps (EBIT I/II) at Lawrence Livermore National Laboratory [1] [2]. The EBIT I/II can produce well defined astrophysically interesting plasmas for a wide range of plasma conditions. The XRS engineering model was mated with a 32 element XRS x-ray microcalorimeter array and integrated into a laboratory cryostat. The microcalorimeter array has a composite resolution of 8 eV at 1 keV and 11 eV at 6 keV. During the past 1.5 years of operation, we have performed a number of high resolution, broad band observations including: K and L shell Fe with single ionization energies from 1 – 8 keV, Maxwellian distributions of Fe with $\langle kT \rangle = 0.5 - 3$ keV, non-equilibrium states of Fe with very fine time resolution for $\eta = 10^9 - 10^{12} s \ cm^{-3}$ [3]. The total observation time to date for the campaign is over 100 Ms and the analysis is ongoing. We will present here an overview of the instrument, a few of the preliminary results, and our plans for a permanent, user friendly microcalorimeter facility at the LLNL EBIT I.

References:

- [1] F. S. Porter, et al., in "Proceedings of the 45th annual SPIE meeting on Optical Science and Technology," 2000.
- [2] F. S. Porter *et al.*, in "Proceedings of the 9th International Conference on Low Temperature Detectors," 2002.
- [3] H. Chen, et al., ApJ submitted (2002).

Acknowledgments:

Work by the University of California, LLNL was performed under Contract No. W-7405-Eng-48 and supported by NASA SARA P.O. No. S-03958G. Work by NASA/GSFC was supported by NASA SARA.